

Status of the UELN/EVS Data Base and Results of the Last UELN Adjustment

M. SACHER¹, J. IHDE¹, S. CORCODEL²

1. Introduction

In January 1999 the adjustment version of UELN-95/13 was handed over to the participating countries as the UELN-95/98 solution. At the last EUREF Symposium 1999 in Prague it was reported about these results and about the adjustment of the levelling networks of Estonia and Latvia. Since these activities the extension of UELN continued and one request of the resolution No. 4 of the EUREF Symposium 1998 in Bad Neuenahr-Ahrweiler has been fulfilled the extension to the Black Sea.

2. Status of the UELN/EVS Data Base

Since the last EUREF Symposium 1999 in Prague the UELN data centre has got some data of several countries. A complete new data set is the network block of Romania which is extending the UELN to the Black Sea. These data will be described in the next paragraph. On the other hand the data of additional levelling epochs of countries which are already included in UELN have been sent to the data centre. At the moment there are the following countries with more than one levelling epoch (see figure 1):

Czech Republic

Additionally to the first order levelling network of the epoch 1973-1992, which is contained in the UELN-95/98, we got the second order levelling network of this epoch as well as the first and second order levelling network of a preliminary epoch of 1939-1959. The data editing is going on.

Denmark

Additionally to the last epoch from 1982-1994, which is included in the last UELN adjustment version, there are two preliminary epochs:

1885-1905,
1943-1961.

The data editing is completed and first test computations have been carried out.

Germany

In Germany there are different conditions in the Eastern and the Western part. In the Eastern part, there exists the epoch from 1974-1976, which was included in the common first order network after the unification of the two German states and which is also part of the UELN. Additionally, there exists a preliminary epoch from 1953-1959 with nearly the same configuration. The editing of these data is completed.

In the Western part the situation is more difficult. The current network was measured in the eighties. There also exists a preliminary epoch with measurements between 1948-1964 completed by some measurements from 1934-1943, but the identities of the points are not be clear in all cases and there are no coordinates and no gravity corrections for the measurements.

The Netherlands

The data centre got the following levelling epochs

1926 – 1940	(2. Primary levelling)
1950 – 1964	(3. Primary levelling)
1965 – 1978	(4. Primary levelling)
1986 – 1996	(Secondary levelling)

The number of points of all epochs was reduced by the Survey Department (Dr. MOLENDIJK) of the Netherlands. The data editing is completed and first test computations have been carried out.

Table 1 gives an overview about the contents of the UELN data base.

¹ Martina Sacher, Johannes Ihde: Bundesamt für Kartographie und Geodäsie, Aussenstelle Leipzig, Karl-Rothe-Strasse 10-14, D-04015 Leipzig, Germany; Tel.: 0341 5634 424, Fax: 0341 5634 415, E-mail: ihde@leipzig.ifag.de

² Stefan Corcode: The National Office of Cadastre, Geodesy and Cartography (NOCGC), Str. Splaiul Independentei 202A, 771411 Bucharest, Romania; Fax: +40 - 1 - 222 52 24, Tel.: +40 - 1 - 222 60 25, E-mail: oncg@fx.ro




Figure 1: Number of epochs in the UELN/EVS Data Base

3. Current adjustment version UELN-95/14

Since the last EUREF Symposium 1999 in Prague the UELN has been extended to the Black Sea by integrating the First Order Levelling Network of Romania. A representative of Romania worked at the BKG in Leipzig and delivered the Romanian levelling data to the UELN data base.

The levelling data of Estonia and Latvia, which were delivered one year ago, have not been integrated in the UELN yet, because the data of Lithuania are not available yet.

3.1. The National Levelling Network of Romania

3.1.1 Description of the network

A 0th order high accuracy levelling network of Romania has been created following the recommendations of the VIIth Conference of the Geodetic Services of the Eastern Countries (Sophia, 1968) which proposed to create some transcontinental lines, connecting the Black Sea tide gauges with the tide gauges of the Baltic Sea as well as creating an East European levelling network to study the actual vertical movements in Eastern Europe.

During the phase of design, the levelling lines overlapped those of the first order levelling network existing in Romania, which has been previously carried out by the Military Topographic Direction. The first order of the levelling Network has been completed by a number of 5 new lines, which provided smaller polygons and better values when classing the polygons with neighbouring countries.

In 1972 the work on this network began with designing, reconnaissance and applying phases. The measurements began in 1974 and were finished in 1988.

The actual high accuracy levelling network of Romania consists of 19 polygons with an average circumference of 534 km. The main network is made up of 64 lines with an average length of 101 km plus 14 border connection lines to the neighbouring countries. Additionally, there exists a control network around the datum point of the network, Constanta.

The total length of the whole network is about 6620 km with 6400 elevation control points. The number of nodal points is 65. (see figure 2)

3.1.2 Data editing and adjustment

The data centre at the BKG got measured height differences and normal height corrections as well as geographical latitude and free air anomaly for all points of the network. The anomalies had been interpolated from maps of the Bouguer anomaly and recomputed into free air anomalies.

In a first step the adjustment was repeated with the normal height differences in the same way as in the Romanian adjustment in order to control the data. The Romanian adjustment was carried out in the following way: At first the control network around the datum point was adjusted. The second step was the adjustment of the main network with 5 fundamental points of the control network as fixed points.

Then the geopotential number differences were computed

from the measured height differences and the gravity values in the IGSN71, which were computed by the latitude and the free air anomaly. The 78 geopotential number differences of the main network and the 11 differences of the control network were adjusted together. The results are the following:

number of fixed points	1
number of unknowns	64
number of measurements	89
degrees of freedom	25
a-posteriori standard deviation referred to 1 km	1.83 kgal·mm
mean value of the standard deviation of the adjusted geopotential number differences	13.03 kgal·mm
mean value of the standard deviation of the geopotential numbers (= heights)	24.01 kgal·mm
average redundancy	281

A test adjustment of the measured height differences without any correction for the gravity resulted in an a-posteriori standard deviation of 1.6 mm/km. Also the discrepancies in several polygons were smaller without gravity corrections. That shows that the gravity values and/or the coordinates in these areas are not accurate enough.

3.2 Results of the new adjustment variant UELN-95/14

In order to integrate the network of Romania in the UELN, 5 border connections to Hungary were used. The 4 border polygons have circumferences between 184 km and 276 km. From the discrepancies of the polygons a standard deviation of 0.53 kgal·mm/km was computed. Table 2 shows the results of the adjustment variants UELN-95/13 (95/98) and UELN-95/14 (including Romania).



Figure 2: Levelling network of Romania

Table 1: Contents of the UELN/EVS – Data Base

Country	Number of Nodal Points	Number of Observations	National Heights Available	Whole First Order Network	Epoch of Observation	Epoch of each Meas. known	Year of Input in UELN	Kind of Observations	Further Epochs
Austria	96	145	x	x	1966-1992	x	1995	ΔC	
Belgium	35	54			1969-1975		1980		
Bosnia/Herz. + Croatia	46	64	x	x	1970-1973	x	1998	$\Delta C, \Delta h$	
Czech Republic	53	82	x	x	1973-1992	x	1995	$\Delta C, \Delta h$	1939-1959*
Denmark	738	1035	x	x	1982-1994	x	1998	ΔC	1885-1905, 1943-1961
Estonia	35	45	x	x	1959-1996	x	1999	$\Delta C, \Delta h$	
Finland	67	89			1935-1972	X	1980	ΔC	
France	126	1785			1962-1969	X	1980	ΔC	
Germany	498	1508	x	x	1974-1992	x	1995	$\Delta C, \Delta h$	1953-1959*
Hungary	43	51		x	1975-1978	x	1995	$\Delta C, \Delta h$	
Italy	64	97			1942-1971	X	1980	$\Delta C, \Delta h$	
Latvia	126	158	x	x	1968-1988		1999	$\Delta C, \Delta h$	
Netherlands	842	932	x	x	1969-1975	x	1997	$\Delta C, \Delta h$	1926-1940, 1950-1964, 1986-1996
Norway	120	194			1912-1978	X	1980	ΔC	
Poland	118	217	x		1973-1980		1996	ΔC	
Portugal	15	22			1943-1969	X	1980	$\Delta C, \Delta h$	
Romania	65	89	x	x	1974-1986	X	1999	$\Delta C, \Delta h$	
Slovakia	53	74		x	1973-1980		1996	ΔC	
Slovenia	11	15	x	x	1970-1973	x	1996	ΔC	
Spain	79	101			1925-1974	X	1980	$\Delta C, \Delta h$	
Sweden	92	122			1950-1967		1980	ΔC	
Switzerland	10	13			1949-1976	X	1980	$\Delta C, \Delta h$	2 epochs
United Kingdom	45	60			1951-1958		1980	ΔC	

* Data are available at the BKG, but not yet in the data base

Table 2 Results of the adjustment variants UELN-95/13 and UELN-95/14

Type of data	95/13	95/14
Number of unknowns	3063	3162
Number of observations	4263	4397
Number of degrees of freedom	1200	1235
Redundancy, average	281	281
Standard deviation of adjusted geopotential differences [kgal \times mm]:(mean value)	6.62	674
Standard deviation of adjusted geopotential numbers [kgal \times mm]: (mean value)	1964	19.72
Standard deviation of a posteriori weight unit referred to a levelling distance of 1 km [kgal \times mm]:	110	1.11



Figure 3: Available measurements in the UELN data base

Table 3 Accuracy of the UELN-95/14 adjustment after variance component estimation with status of March 2000

block	number of observations	sum of redundancies	a posteriori standard deviation [kgal · mm]
Austria	145	38.970	0.80
Belgium	54	19.487	1.22
Switzerland	13	4.456	1.06
Germany	756	272018	0.85
Denmark	1036	312873	0.59
Spain	101	27.251	1.85
France	175	46.855	2.01
Italy	97	33.022	1.76
The Netherlands	932	163930	1.08
Portugal	22	5.860	1.77
Great Britain	60	15000	1.72
Norway	194	70992	1.67
Finland	89	20.142	0.76
Sweden	122	34.865	1.74
Czech Republic	82	27.483	1.07
Hungary	60	13.742	0.51
Poland	217	61.351	0.95
Slovakia	74	18.574	1.42
Bosnia/Herzegovina, Croatia, Monte Negro, Slovenia, Vojvodina	79	19.407	0.90
Romania	89	28.721	1.73
	4397	1235000	

In table 3 the results of the variance component estimation of the adjustment variant UELN-95/14 are shown.

4. Further Steps

The next steps of the extension of UELN will be the integration of the national levelling networks of Lithuania and Bulgaria. The handing over of the data of Bulgaria is planned for the autumn of 2000.

A representative of Lithuania will work at the BKG and hand over the national levelling data to the UELN data base in July/August 2000. After that it will be possible to integrate Estonia, Latvia and Lithuania in the UELN. Then there will be only a lack of about 400 - 500 km of Russian levelling line to close the connection between the Baltic states and Scandinavia (see figure 3).

References

- AUGATH W. (1994): *Proposals for a European Task Force on Vertical Datums within the EUREF-Subcommission*. Presented at the EUREF Symposium, June 8-10, 1994, Warsaw. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 54, S. 171-175, München 1994.
- AUGATH W. (1996): *UELN-2000 – Possibilities, Strategy, Concepts – or: How should we realize a European Vertical System?* Presented at the EUREF Symposium in Ankara, May 22-25, 1996. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 57, S. 170-174.
- BROUWER F. J. J., DE MIN E. J. (1994): *On the Definition of a European Vertical Datum*. EUREF-Symposium of June 8-10, 1994 at Warsaw, Poland. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 54, S. 176-183, München 1994.
- EHRNSPERGER W., KOK J. J. (1986): *Status and Results of the 1986 Adjustment of the United European Levelling Network – UELN-73*. Paper contributed to the Symposium on Height Determination and Recent Crustal Movements in Western Europe, Federal Republic of Germany, Sept. 15-19, 1986.
- HÖGGERL N. (1986): *Die Ausgleichung des österreichischen Präzisionsnivellementsnetzes*. Österreichische Zeitschrift für Vermessungswesen und Photogrammetrie, Wien 74 (1986) 4, S. 216-249.
- LANG H., SACHER M. (1995): *Status and Results of the Adjustment and Enlargement of the United European Levelling Network 1995 (UELN-95)*. EUREF-Symposium Kirkkonummi, Finland, May 3-6, 1995. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 56, S. 86-96, München 1995.
- LANG H., SACHER M. (1996): *Status and Results of the Adjustment and Enlargement of the United European Levelling Network 1995 (UELN-95)*. EUREF-Symposium Ankara, Turkey, May 22-25, 1996. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 57, S. 163-169, München 1996.
- LANG H., SACHER M., SCHOCH H. (1997): *Status and Results of the Adjustment and Enlargement of the United European Levelling Network 1995 (UELN-95)*. EUREF-Symposium Sofia, Bulgaria, June 04-07, 1997. Veröffentlichungen der Bayerischen Kommission für die Internationale Erdmessung, Heft Nr. 58, S. 85-90, München 1997.
- LYSZKOWICZ A. (1996): *The Conversion of the Observed Levelling Data to a Differences of Geopotential Numbers*. Space Research Centre Pas, Department of Planetary Geodesy, Warsaw 1995 (personal communication).
- MISKOVIC D., HÖGGERL N. (1996): *Connection of the First Order Levelling Network of Slovenia to UELN*. Geodetska Uprava Republike Slovenije, Ljubljana 1996 (personal communication).
- MORITZ H. (1988): *Geodetic Reference System 1980*. Bulletin Géodésique, The Geodesists Handbook, 1988, International Union of Geodesy and Geophysics.
- NEMETH Z., ADAM J. (1994): *Unified National Vertical Network of Hungary*. FOMI, Satellite Geodetic Observatory, Budapest, Hungary (personal communication).
- REMMER O. (1987): *The United European Levelling Network – Present State and Future Plans –*. In: Pelzer und Nie-meier, W. (Eds.): *Determination of Height and Height Changes*, S. 3-5, Dümmler Verlag, Bonn, 1987.
- SACHER M., IHDE J., SEEGER H. (1998): *Preliminary Transformation Relations between National European Height Systems and the United European Levelling Network (UELN)*. Presented to the CERCO-Plenary, Oslo 1998.
- SACHER M., LANG H., IHDE J. (1998): *Status and Results of the Adjustment and Enlargement of the United European Levelling Network 1995 (UELN-95)*. Presented at the EUREF-Symposium in Bad Neuenahr-Ahrweiler, 1998.
- SĂVULESCU C. (1998): *High Accuracy Levelling Network of Romania*. The National Office of Cadastre, Geodesy and Cartography, Bucharest, Romania.
- SACHER M., IHDE J., CELMS A., ELLMANN A. (1999): *The first UELN stage is achieved, further steps are planned*. Presented at the Symposium of the IAG Subcommission for Europe (EUREF) in Prague, June 2-4, 1999.
- SCHOCH H. (1995): *Beschreibung des Programmsystems HOENA*. Institut für Angewandte Geodäsie, Leipzig, März 1995 (not published).
- SEEGER H. (1996): *Status Report CERCO WG VIII*. 19.02.1996, Bingen, Germany.